

# CONTENTS

<b>PREFACE</b>	Tom Nishida	⑦-⑫
<b>FROM THE DESK OF THE EDITOR</b>	Albert E. Caton	⑬-⑭

## ORIGINAL ARTICLES

### OVERVIEW

Integrating GIS across disciplines: how the intersection of biology and geography has influenced fisheries GIS	William L. Fisher	003-018
Fisheries GIS: Is this the world's most important applications software area?	Geoff Meaden	019-034
A new GIS publication from the FAO: 'Advances in geographic information systems and remote sensing in fisheries and aquaculture'	Geoff Meaden José Aguilar-Manjarrez	035-048

### DATABASE

The European governance and the French Science Fishery Information System	Frédérique Blanc Patrick Berthou Emilie Leblond Valérie Harscoat Laurent Dezamy	049-062
Open source, open standards, open data: the design and implementation of a marine Web portal	Brent Wood Rainer Spittel Mark Morrison	063-080

## SOFTWARE

Pin-point prediction of good fishing grounds using Jack Pot Skipper	<i>Kiyoshi Itoh Tom Nishida</i>	081-084
AquaMap-testing and implementation of an experimental benthic mapping tool	<i>Robert O'Conner Matthew Parry</i>	085-092
Coastal and small-scale fisheries resource management using RealMC, a real-time GPS data-logger and marine-monitoring system	<i>Kiyoshi Itoh Tom Nishida</i>	093-096

## HABITATS

Sardine ( <i>Sardina pilchardus</i> , Walbaum, 1792) distribution and environment off the Atlantic coast of northwestern Africa in 2007	<i>Naoki Tojo Khalid Manchih Khadija Amenzoui Najib Charouki Aissa Benazzouz Salaheddine Elayoubi Azeddine Ramzi Omar Ettahiri Ahmed Makaoui</i>	097-118
Spatial dynamics of sardine ( <i>Sardina pilchardus</i> ) and sardinella ( <i>Sardinella aurita</i> ), two small pelagic fishes in the Canary Current System	<i>Rachida Houssa Souad Kifani Naoki Tojo Aziza Lakhnigue Najib Charouki</i>	119-132

*Contents (3-6)*

## **ABUNDANCE ESTIMATION**

Spatial estimation of the kelp forests ( <i>Laminaria</i> spp.) distributions in coastal waters of Osatsube Hokkaido, Japan, using acoustic method and geographic information system	<i>Huamei Shao</i> <i>Yusuke Ito</i> <i>Kenji Minami</i> <i>Hiroki Yasuma</i> <i>Kazushi Miyashita</i>	133-150
Latitudinal and bathymetric abundance tendencies of yellowtail snapper, <i>Lutjanus chrysurus</i> (Bloch, 1791) ( <i>Teleostei, Lutjanidae</i> ), caught off northeastern Brazil	<i>Marcelo Nóbrega</i> <i>Eduardo Ferrandis</i> <i>Paul Kinas</i> <i>Rosangela Lessa</i>	151-168
Estimating fish stocking densities using Landsat imagery and geographic information systems	<i>Saratu U. Ibrahim</i> <i>E.F. Okogbe</i> <i>S.O.E. Sadiku</i>	169-180

## **SITE SELECTION**

Assessment of fish-cage culture and fish-production potentials of Shiroro Lake in Niger State, Nigeria, using a geographic information system and remote sensing	<i>S.U. Ibrahim</i> <i>S.O.E. Sadiku</i>	181-198
--	---	---------

## **MANAGEMENT**

Development of spatial management tools to address fisheries conservation concerns for quillback rockfish ( <i>Sebastodes maliger</i> ) in British Columbia Canada	<i>Lynne Yamanaka</i> <i>Robert Flemming</i>	199-214
--	---	---------

## **APPENDIX**

A	<i>PICTURES</i>	217-220
B	<i>INDEX OF AUTHORS AND CO-AUTHORS</i>	221-222
C	<i>INDEX OF KEY WORDS</i>	223-224
D	<i>SYMPOSIUM PROGRAM AND LIST OF PARTICIPANTS</i>	225
E	<i>OPENING SPEECHES</i>	227-230
F	<i>WRAP-UP SESSION</i>	231-246